

PRODUCT CATALOG

SUPERIOR AGRICULTURAL IMPLEMENTS SUPPLIER

"Doing by heart, let love flowing"



DOING BY HEART, LET LOVE FLOWING!

"Doing by heart, let love flowing" is the corporate culture of IFOURNI. Every member of IFOURNI works with dedication, treats colleagues and partners with care, serves every customer with heart, and treats each product by heart.









Ifourni Service FARMERS' BEST HELPER!

IFOURNI insists on "Doing by heart". We put our hearts into crafting our products, researching the market, and serving our customers. Through high-quality pre-sales, in-sales, and after-sales services, we ensure that customer interests are protected and establish closer cooperation with them. By creating products and services with care, we make farmers' work easier when using IFOURNI products.



About IFOURNI

IFOURNI Technology is focused on the research and development, manufacturing, and sales of knapsack sprayers. For the past decade, we have adhered to a philosophy of "quality first" and have created manual and electric backpack sprayers that are world-leading in terms of quality and technology. Our products have passed EU standard testing and are exported to more than 40 countries worldwide, winning recognition and love from local customers.

In addition, we have established a farm machinery division to provide customers with products such as small tractors, tillers, seeders, mowers, generators, and various food processing machinery.



Superior agricultural implements supplier

We are committed to continuously creating high-quality and affordable small farm machinery and providing customers with a one-stop-shop and multiple farm tools with less than container load (LCL) services that can help improve our client's cash flow and broaden their product offerings, allowing them to have more business opportunities.



Knapsack manual sprayer



Manual Sprayer IF-16C-3

N.W: 2.9kg	G.W: 3.5kg	
Tank Weight: 1.3kg		
Capacity: 16L		
Working Pressure: 0.2-0.4Mpa		
Tank Material: PP		
Side: Transparent		
Water Level Line Lance: Adjustable SS Lance		



Manual Sprayer IF-16G-1

N.W: 2.6kg	G.W: 3.2kg
Capacity: 16L	
Working Pressure: 0.2-0.4Mpa	
Tank Material: PP	
Lance:Adjustable SS Lance	



Manual Sprayer IF-16D-1

N.W: 2.8kg	G.W: 3.4kg	
Capacity: 16L		
Working Pressure: 0.2-0.4Mpa		
Tank Material: PE		
Lance:Fiberglass Lance		























Electric Sprayer IF-5EU-1 ULV





Power Sprayer



Power Sprayer IF-767

N.W: 9kg	G.W: 10kg	
Tank Capacity: 25L	Power Engine: TU-26	
Rated Power: 0.7KW	Rotating: 6500r/min	
Displacement: 26CC	Output: 8L/min	
Plunger Diameter: 18mm		
Diameter of Cylinder: 33mm		
Working Pressure: 1.5-2.5Mpa		



Power Sprayer IF-768

N.W: 9kg	G.W: 10kg	
Tank Capacity: 25L	Power Engine: TU-26	
Rated Power: 0.7KW	Rotating: 6500r/min	
Displacement: 26CC	Output: 8L/min	
Plunger Diameter: 18mm		
Diameter of Cylinder: 33mm		
Working Pressure: 1.5-2.5Mpa		



Mist Blower IF-14MA-1 (3WF-3)

N.W: 11kg	G.W: 14.5kg	
Tank Capacity: 14L	Range: ≥12M	
Displacement: 41.5cc	Mixed Fuel Ratio: 25:1	
Standard Power: 2.13/7500kw/r/min		
Fuel Consumption: 530g/kw·h		
Method of Starting: Recoil Starting		
Igniting Mode: No Touch of Ignition		
Fan Rotation Speed: 7500r/min		
Matched Engine: 1E40FP-3Z		







Hand Seeder



Hand Seeder IF-A031B

N.W: 9KG	G.W: 10.3KG	
Capacity: 2-3KG	Spacing: 15-25cm	
Hole Seeding Rate: 1-2 seeds		
Suitable Seed: Corn, soybean, peanut, cotton, etc.		
The seeder is coated with stainless steel rings		
Customize Mouth Number: 10/ 9/ 8/ 7/ 6 unadjustable mouths		
Regular Color: Orange/Red		



Hand Seeder IF-A036

N.W: 9KG	G.W: 10.2KG	
Capacity: 2-3KG	Spacing: 13-28cm	
Hole Seeding Rate: 1-2 seeds		
Suitable Seed: Corn, soybean, peanut, cotton, etc.		
Mouth Number: 12, 10, 9, 8, 7, 6 adjustable mouths		
Regular Color: Orange/Red		



Seeding and Fertilizer Applicator IF-A048

11 110 10		
N.W: 10.2KG		G.W: 11.45KG
Spacing: 23-30cm	Но	le Seeding Rate: 1-2 seeds
Mouth Number: 7,6,5 adjustable mouths		
Capacity: Seeds 2-3KG, fertilizer 2-3.5KG		
Suitable Seed: Corn, soybean, peanut, cotton, etc.		
Regular Color: Orange/Red		



Seeding and Fertilizer Applicator IF-A049

11 - 21047		
N.W: 11KG		G.W: 12.3KG
Spacing: 23-35cm Hole S		eeding Rate: 1-2 seeds
Capacity: Seeds 2-3KG, fertilizer 2-3.5KG		
Suitable Seed: Corn, soybean, peanut, cotton, etc.		
Customize Mouth Number: 7/ 6/ 5 unadjustable mouths		
Regular Color: Orange/Red		

More products please visit: www.ifourni.com



ELECTRIC
ULTRA-LOW
VOLUME
HANDHELD
SPRAYER

SUPERIOR AGRICULTURAL IMPLEMENTS SUPPLIER

Net weight: 240g

Material: ABS+PET

Battery capacity: 1200mAh

Battery life: In atomized state,

continuous use for 3 hours

Capacity: 500mL

Color box size: 160x116x245mm

Charging timee: 3-4 hours





130MM PINK/GREEN 240ML











PIDD PRO Agricultural Drone

Pro in Every Flight. **Autonomous and Flexibly Efficient.**

50L | 50kg | 80L Smart Liquid Tank Payload Granule Container

Overall Spraying Efficiency 19 ha/h1 Overall Spreading Efficiency 1300 kg/h²



IFOURNI is the authorized distributor





Two-drive Mini Cultivator




Walking iron wheel



Rotary Tiller



Seeding and fertilizing bucket



Four-drive Mini Cultivator



Walking iron wheel



Backfiller



Fertilizing bucket



WALK ING Tractor

SUPERIOR AGRICULTURAL IMPLEMENTS SUPPLIER

Engine type: Single, horizontal, water

cooled, four stroke

Start mode: Manual boot

Combustion system: Direct injection

Cooling method: evaporation/condensation

Horsepower: 8/10/11/15/18/22hp

Minimum ground distance: 210mm/185mm





ROTARY TILLER



PLOUGH



MOWER



MUD WHEEL



DISC PLOUGH



RIDGER



Tractor



Tractor IF-404

Min operation weight: 1570kg	Wheelbase: 1770mm	
Min ground clearance: 300mm		
Hydraulic pump flow: 21.2L/min		
Advance speed: 1.97-29.2km/h		
Recede speed: 2.59-12km/h	Fuel tank capicity: 35L	
Engine displacement: 2.42L	Battery: 12V/80AH	



Tractor IF-504

Min operation weight: 1560kg	Wheelbase: 1835mm	
Min ground clearance: 320mm		
Advance speed: 2.12-30.6km/h		
Recede speed: 3.08-4.31km/h	Fuel tank capicity: 45L	
Engine displacement: 3.16L	Battery: 24V/12AH	



Tractor IF-554

Min operation weight: 2530kg	Wheelbase: 2127mm	
Min ground clearance: 360mm		
Hydraulic pump flow: 33L/min		
Advance speed: 2.61-31.06km/h		
Recede speed: 2.03-26.62km/h	Fuel tank capicity: 58L	
Engine displacement: 4.15L	Battery: 12V/80AH	



Tractor IF-804

Min operation weight: 3550kg	Wheelbase: 2314mm	
Min ground clearance: 370mm		
Hydraulic pump flow: 45L/min		
Advance speed: 1.65-27.31km/h		
Recede speed: 4.31-12.92km/h		
Fuel tank capicity: 115L Engir	ne displacement: 4.95L	
Battery: 12V/80AH		

More products please visit: www.ifourni.com

SEEDER







SPRING CULTIVATOR







DISC HARROW







PIPE PLOUGH



RECTANGULAR TUBE DISC PLOUGH



AFRICAN PIPE PLOUGH





