

Knapsack Sprayer

PIC	NAME / MODEL	SPECIFICATION	PACKING SIZE (mm)	QUANTITY (pcs)
	IF-16C-1 Plus	N.W: 3.46KG G.W: 4.37KG Capacity: 16Liter Tank Material: PP Working Pressure: 0.2-0.4Mpa Lance: 304 Stainless Steel	420*180*583mm Packing: 1pc/color box	40HQ: 1600 20GP: 680
	IF-16C-1	N.W: 3.2KG G.W: 4.05KG Capacity: 16L Tank Material: PP Working Pressure: 0.2-0.4Mpa Side: Transparent Water Level Line Lance: Fiberglass Lance	420*180*583 Packing: 1pc/color box	40HQ: 1600 20GP: 680
	IF-20C-1	N.W: 3.2KG G.W: 4.05KG Capacity: 20L Tank Material: PP Working Pressure: 0.2-0.4Mpa Side: Transparent Water Level Line Lance: Fiberglass Lance	450*195*583 Packing: 1pc/color box	40HQ:1375 20GP: 590
	IF-16C-3	N.W: 2.9KG G.W: 3.5KG Capacity: 16L Tank Material: PP Working Pressure: 0.2-0.4Mpa Lance: Adjustable SS Lance	395*180*535mm Packing: 1pc/color box	40HQ:1820 20GP: 780
	IF-20C-3	N.W: 3.0KG G.W: 3.6KG Capacity: 20L Tank Material: pp Working Pressure: 0.2-0.4Mpa Lance: Adjustable SS Lance	410*200*535mm Packing: 1pc/color box	40HQ:1610 20GP: 650

Knapsack Sprayer

PIC	NAME / MODEL	SPECIFICATION	PACKING SIZE (mm)	QUANTITY (pcs)
	IF-16C-5	N.W: 2.4KG G.W: 2.8KG Capacity: 16Liter Tank Material: pp Working Pressure: 0.2-0.4Mpa Lance: Fiberglass Lance	365*180*515mm Packing: 1pc/color box	40HQ: 2030 20GP: 810
	IF-16G-1	N.W: 2.6KG G.W: 3.2KG Capacity: 16L Tank Material: PP Working Pressure: 0.2-0.4Mpa Lance: Adjustable SS Lance	370*195*515 Packing: 1pc/color box	40HQ: 1920 20GP: 800
	IF-20G-1	N.W: 2.75KG G.W: 3.35KG Capacity: 20L Tank Material: PP Working Pressure: 0.2-0.4Mpa Lance: Adjustable SS Lance	410*200*520 Packing: 1pc/color box	40HQ: 1650 20GP: 700
	IF-16D-1	N.W: 2.9KG G.W: 3.5KG Capacity: 16L Tank Material: PE Working Pressure: 0.2-0.4Mpa Lance: Fiberglass Lance	370*185*525 Packing: 1pc/color box	40HQ: 2000 20GP: 800
	IF-20D-1	N.W: 3.3KG G.W: 3.9KG Capacity: 20L Tank Material: PE Working Pressure: 0.2-0.4Mpa Lance: Fiberglass Lance	390*195*525 Packing: 1pc/color box	40HQ: 1730 20GP: 730

Knapsack Sprayer

PIC	NAME / MODEL	SPECIFICATION	PACKING SIZE (mm)	QUANTITY (pcs)
	IF-16D-2	N.W: 2.9KG G.W: 3.5KG Capacity: 16L Tank Material: PE Working Pressure: 0.2-0.4Mpa Lance: Adjustable SS Lance	350*190*520 Packing: 1pc/color box	40HQ: 2040 20GP: 800
	IF-20D-2	N.W: 3.2KG G.W: 3.8KG Capacity: 20L Tank Material: PE Working Pressure: 0.2-0.4Mpa Lance: Adjustable SS Lance	380*195*520 Packing: 1pc/color box	40HQ: 1820 20GP: 750
	IF-GP15-1	N.W: 3.2KG G. W: 3.7 KG Capacity: 15L Tank material: PP Work pressure: 0.2-0.4Mpa Lance: PP+PVC composite lance	341*256*481 Packing: 1pc/color box	40HQ: 1680 20GP: 700

Electric Sprayer

PIC	NAME / MODEL	SPECIFICATION	PACKING SIZE (mm)	QUANTITY (pcs)
	IF-20EI-1	N.W: 5.2KG G.W: 5.8KG Capacity: 20L Tank Material: Thickened PE The Base Material: PP Detachable Li-ion Battery: 18V/5.2AH Pressure Pump: 2L/min Lance: 304 Stainless Steel Lance Charger: Different charger plug provided Certificate: CE, FCC, UKCA , ROHS with the exclusive patent of our independent research and development	410*275*560 Packing: 1PC/CTN	40HQ:1100 20GP:490
	IF-16EA-2	N.W: 4.8KG G.W: 5.3KG Capacity: 16L Tank Material: PP Working Pressure: 0.2-0.4Mpa Fuse: with fuse Hose: 1.25m black hose Lead-Acid Battery: 12V/8AH (2.2KG) Lance: Adjustable SS Lance Pressure Pump: 3.1L/min	385*210*480 Packing: 1pc/color box	40HQ: 1850 20GP: 800
	IF-18EMA-2	N.W: 6KG G.W: 6.6KG Electric-Manual (Two in One) Capacity: 18L Tank Material: PP Working Pressure: 0.2-0.4Mpa Fuse: with fuse Hose: 1.25m black hose Lead-Acid Battery: 12V/8AH (2.2KG) Lance: Adjustable SS Lance Pressure Pump 3.1L/min	425*205*520 Packing: 1pc/color box	40HQ: 1550 20GP: 600
	IF-16EG-1	N.W: 4.8KG G.W: 5.4KG Capacity: 16L Working Pressure: 0.15-0.5Mpa Lead-Acid Battery: 12V/8AH Pressure Pump: 3.1L/min	380*205*500 Packing: 1pc/color box	40HQ: 1750 20GP: 780

Electric Sprayer

PIC	NAME / MODEL	SPECIFICATION	PACKING SIZE (mm)	QUANTITY (pcs)
	IF-45L	N.W: 17KG G.W: 19KG Tank Capacity: 45L Tank Material: PE Working Pressure: 0.4MPA Hose: 50m Blue Hose Lead-Acid Battery: 12V,8AH Charger: 1.0A Lance: Adjustable SS Lance Pressure Pump 3.1L/min	650*410*900 Packing: 1pc/color box	40HQ: 290 20GP: 120

ULV Electric Sprayer

PIC	NAME / MODEL	SPECIFICATION	PACKING SIZE (mm)	QUANTITY (pcs)
	IF-5EU-1 (ULV)	Work Voltage(9V/DC) : 6—12V Flow Rate: 25—200ml/min Disc Speed: >=2000rpm Droplet Size: 50—150um Big Tank Volume: 5L Small Tank Volume: 1L Dry Battery: 4-8pcs	Shaft Carton Size: 970*160*160 Tank Carton Size: 250*190*280	40HQ: 1800 20GP: 780

Power Sprayer

PIC	NAME / MODEL	SPECIFICATION	PACKING SIZE (mm)	QUANTITY (pcs)
	IF-888	N.W: 9KG G.W: 10KG Tank Capacity: 15L Power Engine: TU-26 Rated Power: 0.7KW Rotating: 6500r/min Displacement: 26CC Output: 8L/min Plunger Diameter: 18mm Diameter of Cylinder: 33mm Working Pressure: 1.5-2.5Mpa	405x325x585 Packing: 1PC/CTN	40HQ: 900 20GP: 360
	IF-708	N.W: 9KG G.W: 11.5KG Tank Capacity: 20L Power Engine: 1E34F Rated Power: 0.75KW Rotating: 6500r/min Output: 6L/min Working Pressure: 1.5-2.5Mpa	430x340x660 Packing: 1PC/CTN	40HQ: 705 20GP: 290
	IF-767	N.W: 9KG G.W: 10KG Tank Capacity: 25L Power Engine: TU-26 Rated Power: 0.7KW Rotating: 6500r/min Displacement: 26CC Output: 8L/min Plunger Diameter: 18mm Diameter of Cylinder: 33mm Working Pressure: 1.5-2.5Mpa	420x330x650 Packing: 1PC/CTN	40HQ: 760 20GP: 310

Power Sprayer

PIC	NAME / MODEL	SPECIFICATION	PACKING SIZE (mm)	QUANTITY (pcs)
	IF-768	N.W: 9KG G.W: 10KG Tank Capacity: 25L Power Engine: TU-26 Rated Power: 0.7KW Rotating: 6500r/min Displacement: 26CC Output: 8L/min Plunger Diameter: 18mm Diameter of Cylinder: 33mm Working Pressure: 1.5-2.5Mpa	420x330x650 Packing: 1PC/CTN	40HQ: 760 20GP: 310
	IF-768B	N.W: 10KG G.W: 11KG Tank Capacity: 25L Power Engine: Honda GX-35 engine Rated Power: 1.0KW Rotating: 7000r/min Displacement: 35.8CC Output: 8L/min Working Pressure: 1.5-2.5Mpa	410x385x660 Packing: 1PC/CTN	40HQ: 660 20GP: 300
	IF-768B(HD)	N.W: 11.4KG G.W: 12.4KG Tank Capacity: 25L Material: PP/PE Working Pressure: 2.5Mpa-3Mpa Water Outflow: 8L/min Rated Power: 1.0KW Rotating: 7000r/min Engine Type: Honda GX-35 engine Displacement: 35.8CC	425*380*680 Packing: 1PC/CTN	40HQ: 630 20GP: 270

Mist Dusters

PIC	NAME / MODEL	SPECIFICATION	QUANTITY (pcs)
	IF-14MA-1 3WF-3 (14/16/20/26L)	N.W: 10KG G.W: 13.5KG Fan Rotation Speed: 7500r/min Tank Capacity: 14L Range: ≥12M Matched Engine: 1E40FP-3Z Standard Power: 2.13/7500kw/r/min Fuel Consumption: 530g/kw·h Mixed Fuel Ratio: 25:1/30:1 Fuel Tank Capacity: 1.3L Lwa: 112dB	14L 40HQ: 452 20GP: 186
			16L 40HQ: 420 20GP: 174
			20L 40HQ: 420 20GP: 174
			26L 40HQ: 360 20GP: 140
	IF-14MA-2 3WF-3 (14/20/26L)	N.W: 11KG G.W: 14.5KG Fan Rotation Speed: 7500r/min Tank Capacity: 14L Range: ≥12M Matched Engine: 1E40FP-3Z Displacement: 41.5cc Standard Power: 2.13/7500kw/r/min Fuel Consumption: 530g/kw·h Mixed Fuel Ratio: 25:1 Method of Starting: Recoil Starting Igniting Mode: No Touch of Ignition	14L 40HQ: 500 20GP: 200
			20L 40HQ: 465 20GP: 185
			26L 40HQ: 420 20GP: 170
	IF-3WF-990	N.W: 10KG G.W: 12.4 KG Fan Rotation Speed: 7500r/min Tank Capacity: 14L Range: ≥12M Matched power: 1E40F-5A Standard Power: 1.25kw Mixed Fuel Ratio: 25:1/30:1 Packing Size: 440*360*655	40HQ: 655 20GP: 270

Mist Dusters

PIC	NAME / MODEL	SPECIFICATION	QUANTITY (pcs)
	IF-16MB-1	N.W: 10.5KG G.W: 11.5KG Fan Rotation Speed: 7200r/min Tank Capacity: 16L Range: $\geq 13M$ Matched power: 1E40F-3Z Displacement: 41.5cc Standard Power: 1.8/7500kw/r/min Fuel Consumption: $\leq 530g/kw \cdot h$ Mixed Fuel Ratio: 25:1 Packing Size: 460*345*680	40HQ: 650 20GP: 260
	IF-3WB-900	N.W: 10KG G.W: 11.8KG Fan Rotation Speed: 7500r/min Tank Capacity: 15L Range: $\geq 12M$ Matched power: 1E40F-5 Standard Power: 1.25kw Mixed Fuel Ratio: 25:1 Packing Size: 480*360*670	40HQ: 587 20HQ: 240
	IF-12MD-1 (SOLO 423)	N.W: 11.5KG G.W: 13KG Max. Air Velocity: 100m/s Max. Blower Output: 11.33m³/min Fuel Tank Capacity: 1.4L Solution Tank: 12L Mist output reach: horizontal approx. 11.6m, Vertical approx. 9.5m Engine: single cylinder 2-cycle Power: 2.6KW/3.5hp Displacement: 70cc Packing Size: 450*330*690mm	40HQ: 678 20HQ: 280

Brush Cutter

PIC	NAME / MODEL	SPECIFICATION	WEIGHT AND MEASURES	QUANTITY (PCS)
	IF-MPT520 (Multifunctional version)	Power source: 2-stroke Displacement: 52cc Engine power: 1.47kW Fuel capacity: 1200ml Idle speed: 3000 rpm Trimmer width: 430mm Blade type: 3T 255 mm Pruner cutting: 12*30cm	Net weight: 12.5KG Rough weight: 13.66KG Carton size: 1120*320* (300+90) Loading qty: 370/900	20GP:370 40HQ:900
	IF-CG520N	Power source: 2-stroke Displacement: 52cc Engine power: 1.47kW Fuel capacity: 1200ml Trimmer width: 430mm Blade type: 3T 255 mm Handle type: Bike Shaft diameter: $\phi 26$ mm Shaft type: Straight	Net weight: 7.0 KG Rough weight (carton): 6.5KG Rough weight (4pcs): 24KG Rough weight (shaft carton): 2.8KG Carton size(engine): 370*310*225 Carton size(4 engines): 640*385*475 Carton size(shaft): 1650*100*110 Carton size(4 shafts): 1665*220*255 Loading qty: 630/1540	20GP:630 40HQ:1540

Spraying Machinery

PIC	NAME / MODEL	SPECIFICATION	PACKING SIZE (mm)	QUANTITY (pcs)
	IF-160L	N.W: 67KG G.W: 68KG Capacity: 160L Engine: JL-6.5HP Working Pressure: 1.5-3Mpa Hose Length: 30m Gun Length: 90cm	1100x580x820 Packing: 1PC/CTN	40HQ: 119 20GP: 40
	IF-300L	N.W: 96KG G.W: 97KG Capacity: 300L Engine: JL-6.5HP Working Pressure: 1.5-3Mpa Hose Length: 30m Gun Length: 90cm	1260x980x780 Packing: 1PC/CTN	40HQ: 68 20GP: 28

Seeder

PIC	NAME / MODEL	SPECIFICATION	PACKING SIZE (mm)	QUANTITY (PCS)
	IF-A036-1	N.W: 10.4KG G.W: 11.4KG Capacity: 2-3KG Spacing: 13-25cm Hole Seeding Rate: 1-2 seeds Suitable Seed: Corn, soybean, peanut, cotton, etc. Mouth Number: 12, 10, 9, 8, 7, 6 adjustable mouths Regular Color: IFOURNI Blue	56*24*58cm (IPC)	20GP: 380 40HQ: 860
	IF-A036-2	N.W: 9KG G.W: 10.2KG Capacity: 2-3KG Spacing: 13-28cm Hole Seeding Rate: 1-2 seeds Suitable Seed: Corn, soybean, peanut, cotton, etc. Mouth Number: 12, 10, 9, 8, 7, 6 adjustable mouths Regular Color: Orange/Red	540*240*580 (1PC)	20GP: 370 40HQ: 865
	IF-A048	N.W: 10.2KG G.W: 11.45KG Spacing: 23-30cm Hole Seeding Rate: 1-2 seeds Mouth Number: 7,6,5 adjustable mouths Capacity: Seeds 2-3KG, fertilizer 2-3.5KG Suitable Seed: Corn, soybean, peanut, cotton, etc. Regular Color: Orange/Red	550*330*580 (1PC)	20GP: 266 40HQ: 647
	IF-A031B	N.W: 9KG G.W: 10.3KG Capacity: 2-3KG Spacing: 15-25cm Hole Seeding Rate: 1-2 seeds Suitable Seed: Corn, soybean, peanut, cotton, etc. The seeder is coated with stainless steel rings Customize Mouth Number: 10/ 9/ 8/ 7/ 6 unadjustable mouths Regular Color: Orange/Red	530*230*570 (1PC)	20GP: 375 40HQ: 870
	IF-A049	N.W: 11KG G.W: 12.3KG Spacing: 23-35cm Hole Seeding Rate: 1-2 seeds Capacity: Seeds 2-3KG, fertilizer 2-3.5KG Suitable Seed: Corn, soybean, peanut, cotton, etc. Customize Mouth Number: 7/ 6/ 5 unadjustable mouths Regular Color: Orange/Red	560*340*580 (1PC)	20GP: 260 40HQ: 620
	IF-A006	N.W: 2.2KG G.W: 2.5KG Capacity: 1.5-2KG Seeding depth is adjustable Hole Seeding Rate: 1-3 seeds Suitable Seed: Corn, soybean, peanut, cotton With adjustable plant spacing ruler	810*450*460 (9PC/CTN)	20GP: 1500 40HQ: 3650
	IF-A004	N.W: 2.7KG G.W: 3KG Seeding depth is adjustable Hole Seeding Rate: 1-3 seeds Capacity: Seeds 1.5-2KG, fertilizer 1.5-2KG Suitable Seed: Corn, soybean, peanut, cotton With adjustable plant spacing ruler	810*410*430 (6PCS/CTN)	20GP: 1170 40HQ: 2850
	IF-A028	Transplanter with 3 mouths N.W: 1.8KG G.W: 2KG Diameter: 7.5CM Seeding depth: 5-15cm Material: stainless steel(201)	910*410*300 (10PCS/CTN)	20GP: 2560 40HQ: 5900
	IF-A008R	Simple round tube planter N.W: 0.5KG G.W: 0.55KG Material: Iron Diameter: 2CM	900*350*300 (40PCS/CTN)	20GP: 12400 40HQ: 28720

Fertilizer Applicator

PIC	NAME/ MODEL	SPECIFICATION	
	IF-YD-39	Material: PP N.W: 218.5g Inlet diameter: $\phi 3.2\text{cm}$	
	IF-FA-15P	Material: PP N.W: 235g Inlet diameter: $\phi 3.2\text{cm}$	
	IF-FA-15S	Material: PP+Stainless Steel N.W: 259g Inlet diameter: $\phi 3.2\text{cm}$	
	IF-YD-36	Material: PP+iron N.W: 276g Inlet diameter: $\phi 3.2\text{cm}$	
	IF-YD-46	Material: PP+Stainless Steel N.W: 300g Inlet diameter: $\phi 3.2\text{cm}$	
	IF-YD-38	Material: PP+Stainless Steel+iron N.W: 652g Inlet diameter: $\phi 3.2\text{cm}$	
	IF-YD-21	Material: PP+Stainless Steel +iron N.W: 1122g Inlet diameter: $\phi 3\text{cm}$	
	IF-FA-15K	Material: Oxford Fabric Capacity: 20L N.W: 260g Inlet diameter: $\phi 3.2\text{cm}$	

Manual Spray Bottle

PIC	NAME / MODEL	SPECIFICATION	PACKING SIZE (mm)	MOQ	Color Description
 200ml	IF-500TC-1(200)	Capacity: 200ML N.W: 90g G.W: 97g Nozzle Diameter: 0.3mm Total G.W(100PCS): 12.7kg Material: PP/PET Spraying Material: Watery liquid Color: Black/White/Transparent/Custom - specified/Gradient/Matte Packaging: OPP Bag+White Box/Color Box	585*410*415 (100PCS/CTN)	Regular Color(Black/White/Transparent): 500PCS Customer-specified Color: 10000PCS Stick/Print Logo, Color Box: 3000PCS Gradient Color Bottle: 5000PCS Matte Bottle: 5000PCS	Regular Color
					
					Customer-specified
 300ml	IF-500TC-1(300)	Capacity: 300ML N.W: 100g G.W: 107g Nozzle Diameter: 0.3mm Total G.W(100PCS): 14.5kg Material: PP/PET Spraying Material: Watery liquid Color: Black/White/Transparent/Custom - specified/Gradient/Matte Packaging: OPP Bag+White Box/Color Box	585*410*515 (100PCS/CTN)	Regular Color(Black/White/Transparent): 500PCS Customer-specified Color: 10000PCS Stick/Print Logo, Color Box: 3000PCS Gradient Color Bottle: 5000PCS Matte Bottle: 5000PCS	
					Matte
					
 500ml	IF-500TC-1	Capacity: 500ML N.W: 110g G.W: 120g Nozzle Diameter: 0.3mm Total G.W(100PCS): 16.7kg Material: PP/PET Spraying Material: Watery liquid Color: Black/White/Transparent/Custom - specified/Gradient/Matte Packaging: OPP Bag+White Box/Color Box	680*370*590 (100PCS/CTN)	Regular Color(Black/White/Transparent): 500PCS Customer-specified Color: 10000PCS Stick/Print Logo, Color Box: 3000PCS Gradient Color Bottle: 5000PCS Matte Bottle: 5000PCS	Gradient
					
	IF-500TC-1(O200)	Capacity: 200ML N.W: 231g G.W: 238g Nozzle Diameter: 0.3mm Total G.W(50PCS): 14kg Material: PP/Glass Spraying Material: Watery liquid/Oily liquid Color: Black/White/Custom-specified Packaging: OPP Bag+Neutral color box	425*335*440 (50PCS/CTN)	Regular Color(Black/White): 100PCS Customer-specified Color: 10000PCS	Only 200ML

Electric handheld watering can

PIC	NAME / MODEL	SPECIFICATION	PACKING SIZE (mm)	QUANTITY (pcs)
	IF-5EK-1	Capacity: 500ML N.W:260 g G.W:400 g Material:HIPS+PET Spraying Material: Watery liquid/Oily liquid Rated voltage: 5V Rated Power: 5w Li-ion Battery: 1500mAh Charging Time: 3H Endurance: About 2H Standard Features: Instruction manual, USB cable*1 Regular Color: Light green/White Packaging: Neutral color box	Pack: 20PCS/CTN Carton Size: 600*503*515mm	Regular Color(Light green/White): 1000PCS Customer-specified Color: 5000PCS Stick/Print Logo: 3000PCS
	IF-2EK-1	Capacity: 240ML N.W: 240g G.W: 380g Material: PS+PET Spraying Material: Watery liquid/Oily liquid Rated Power: 5w Li-ion Battery: 1200mAh Charging Time: 3H Endurance: About 1.5H Standard Features: Instruction manual, USB cable*1 Regular Color: Light green/White Packaging: Neutral color box	Pack: 30PCS/CTN Carton Size: 600*503*515mm	Regular Color(Light green/White): 1000PCS Customer-specified Color: 5000PCS Stick/Print Logo: 3000PCS
	IF-11A	Capacity: 1500ML N.W: 525g G.W: 550g Material of body: HDPE Material of engine head: ABS Rated voltage: 5V Rated power: 5w Battery: 1800mAh Size: 110*110*230mm Full charge duration: 3.5H Discharge duration: 2.5H	Pack: 20PCS/CTN Carton Size: 615*385*410mm	20GP: 5800 40GP: 11600 40HQ: 13600

Electric handheld watering can

PIC	NAME / MODEL	SPECIFICATION	PACKING SIZE (mm)	QUANTITY (pcs)
	IF-11B	Capacity: 2000ML N.W: 563g G.W: 625g Material of body: HDPE Material of engine head: ABS Rated voltage: 5V Rated power: 5w Battery: 1800mAh Size: 130*130*248mm Full charge duration: 3.5H Discharge duration: 2.5H	Pack: 20PCS/CTN Carton Size: 555*415*450	20GP: 6100 40GP: 12300 40HQ: 14300
	IF-15A	Capacity: 1500ML N.W: 525g G.W: 588g Material of body: HDPE Material of engine head: ABS Rated voltage: 5V Rated power: 5w Battery: 1800mAh Size: 220*129*240mm Full charge duration: 3.5H Discharge duration: 2.5H	Pack: 20PCS/CTN Carton Size: 555*415*450mm	20GP: 4656 40GP: 9360 40HQ: 11088
	IF-16B	Capacity: 2000ML N.W: 567g G.W: 625g Material of body: HDPE Material of engine head: ABS Rated voltage: 5V Rated power: 5w Battery: 1800mAh Size: 220*133*255mm Full charge duration: 3.5H Discharge duration: 2.5H	Pack: 20PCS/CTN Carton Size: 555*415*470mm	20FCL: 4576 40FCL: 9216 40HQ: 10704

Electric handheld watering can

PIC	NAME / MODEL	SPECIFICATION	PACKING SIZE (mm)	QUANTITY (pcs)
	IF-18	Capacity: 900ML N.W: 340g G.W: 365g Material of body: HDPE Material of engine head: ABS Rated voltage: 5V Rated power: 4w Battery: 1200mAh Size: 129*104*260mm Discharge duration: 2.5H	619*515*330 Packing: 40PCS/CTN	20FCL: 11520 40FCL: 23760 40HQ: 27600

Pressure Sprayer

PIC	NAME / MODEL	SPECIFICATION	PACKING SIZE (mm)	QUANTITY (pcs)
	IF-1A-1	Capacity: 1L	550*450*310 Packing: 20PCS/CTN	40HQ: 17740 20GP: 7300
	IF-1.5A-1	Capacity: 1.5L	640*500*320 Packing: 20PCS/CTN	40HQ: 13280 20GP: 5480
	IF-2A-1	Capacity: 2L	650*530*330 Packing: 20PCS/CTN	40HQ: 12140 20GP: 5000
	IF-2C-3	Foam spray can Capacity: 2L N. W: 401g G. W: 10kg Size: 35*13cm Color: Black/green Body material: PE Head material: PP	700*550*360 Packing: 20PCS/CTN	40HQ: 9850 20GP: 4050
	IF-2C-4	Foam spray can Capacity: 2L N. W: 347g G. W: 8.2kg Size: 35*13cm Color: Black/gray Body material: PE Head material: PP	690*530*310 Packing: 20PCS/CTN	40HQ: 9850 20GP: 4050
	IF-1WA-1	N.W: 87g Capacity: 1L	600*360*650 Packing: 48PCS/CTN	40HQ: 18432 20GP: 7776
	IF-2WA-1	N.W: 115g Capacity: 2L	670*450*740 Packing: 48PCS/CTN	40HQ: 12240 20GP: 5760

Pressure Sprayer

PIC	NAME / MODEL	SPECIFICATION	PACKING SIZE (mm)	QUANTITY (pcs)
	IF-3WA-1	N.W: 172g Capacity: 3L	760*490*420 Packing: 24PCS/CTN	40HQ: 9936 20GP: 5760
	IF-5WA-1	N.W: 236g Capacity: 5L	640*560*470 Packing: 16PCS/CTN	40HQ: 6240 20GP: 2880
	IF-8WA-1	N.W: 383g Capacity: 8L	620*580*575 Packing: 12PCS/CTN	40HQ: 3840 20GP: 1920
	IF-10WA-1	N.W: 410g Capacity: 10L	660*600*580 Packing: 12PCS/CTN	40HQ: 3480 20GP: 1296
	IF-12WA-1	N.W: 525g Capacity: 12L	720*650*640 Packing: 12PCS/CTN	40HQ: 2880 20GP: 972
	IF-5WB-1	N.W: 231g Capacity: 5L	770*420*520 Packing: 16PCS/CTN	40HQ: 6272 20GP: 2688
	IF-8WB-1	N.W: 381g Capacity: 8L	720*490*585 Packing: 12PCS/CTN	40HQ: 3816 20GP: 1728

Pressure Sprayer

PIC	NAME / MODEL	SPECIFICATION	PACKING SIZE (mm)	QUANTITY (pcs)
	IF-10WB-1	N.W: 418g Capacity: 10L	765*480*610 Packing: 12PCS/CTN	40HQ: 3540 20GP: 1296
	IF-0.9WC-1	N.W: 88g Capacity: 0.9L	695*320*705 Packing: 84PCS/CTN	40HQ: 28224 20GP: 14112
	IF-2WD-1	N.W: 153g Capacity: 2L	890*420*590 Packing: 50PCS/CTN	40HQ: 14250 20GP: 6000
	IF-1WE-1	N.W: 85g Capacity: 1L	680*360*650 Packing: 48PCS/CTN	40HQ: 19584 20GP: 7776
	IF-2WE-1	N.W: 129g Capacity: 2L	620*530*730 Packing: 48PCS/CTN	40HQ: 11520 20GP: 5184
	IF-1.8WF-1	N.W: 127g Capacity: 1.8L	470*440*280 Packing: 48PCS/CTN	40HQ: 49200 20GP: 25200
	IF-2WG-1	N.W: 112g Capacity: 2L	760*370*675 Packing: 48PCS/CTN	40HQ: 19584 20GP: 6912

Pressure Sprayer

PIC	NAME / MODEL	SPECIFICATION	PACKING SIZE (mm)	QUANTITY (pcs)
	IF-1.8WH-1	N.W: 88g Capacity: 1.8L	800*460*495 Packing: 48PCS/CTN	40HQ: 16800 20GP: 6720
	IF-1.6WI-1	N.W: 97g Capacity: 1.6L	720*430*545 Packing: 48PCS/CTN	40HQ: 15360 20GP: 7680
	IF-5C-2	N.W: 7.0KG G.W: 8.2KG Tank Capacity: 5L Working Pressure: 0.2-0.3Mpa Body Material: PE Accessories: PP Lance: Fiberglass Nozzle: Adjustable	565*380*450 Packing: 1PC/color box Packing: 6PCS/brown carton	40HQ: 4344 20GP: 1875
	IF-8C-2	N.W: 8.5KG G.W: 9.7KG Tank Capacity: 8L Working Pressure: 0.2-0.3Mpa Body Material: PE Accessories: PP Lance: Fiberglass Nozzle: Adjustable	565*380*570 Packing: 1PC/color box Packing: 6PCS/brown carton	40HQ: 3432 20GP: 1470
	IF-10C-2	N.W: 9kg G.W: 11kg Tank Capacity: 10L Working Pressure: 0.2-0.3Mpa Body Material: PE Accessories: PP Spray Lance: Fiberglass Nozzle: Adjustable	620*410*580 Packing: 1PC/color box Packing: 6PCS/brown carton	40HQ: 2844 20GP: 1218

Pressure Sprayer

PIC	NAME / MODEL	SPECIFICATION	PACKING SIZE (mm)	QUANTITY (pcs)
	IF-5D-1	N.W: 7 kg G.W: 8 kg Tank Capacity: 5L Body Material : PE Accessories: PP Working Pressure: 0.2-0.4Mpa Lance: Fiberglass Nozzle: Adjustable Cylinder: Stainless Steel	560*375*438 Packing: 1PC/color box Packing: 6PCS/brown carton	40HQ: 4560 20GP: 1596
	IF-7D-1	N.W: 8.4 kg G.W: 9.5 kg Tank Capacity: 7L Body Material: PE Accessories: PP Working Pressure: 0.2-0.4Mpa Lance: Fiberglass Nozzle: Adjustable Cylinder: Stainless Steel	560*375*525 Packing: 1PC/color box Packing: 6PCS/brown carton	40HQ: 3810 20GP: 1632
	IF-10D-1	N.W: 9 kg G.W: 10.5 kg Tank Capacity: 10L Body Material: PE Accessories: PP Working Pressure: 0.2-0.4Mpa Lance: Fiberglass Nozzle: Adjustable Cylinder: Stainless Steel	560*375*650 Packing: 1PC/color box Packing: 6PCS/brown carton	40HQ: 3072 20GP: 1320

Machete

PIC	NAME / MODEL	SPECIFICATION	PACKING SIZE (mm)	MINIMUM ORDER QUANTITY	NOTES
	IF-M204W	Thickness: 1.6mm Blade Length: 16 inches N.W.: 0.4KG/PC G.W.: 20KG/CTN Blade Raw Material: 50MN Steel Handle Material: Wooden	580×250×180 Packing: 48PCS/ CTN (Each piece with a separate pp bag)	4800	The Handle can be replaced with plastic, specification remain unchanged
	IF-M204W	Thickness: 1.6mm Blade Length: 18 inches N.W.: 0.42KG/PC G.W.: 21KG/CTN Blade Raw Material: 50MN Steel Handle Material: Wooden	630×250×180 Packing: 48PCS/ CTN (Each piece with a separate pp bag)	4800	The Handle can be replaced with plastic, specification remain unchanged
	IF-M208W	Thickness: 1.6mm Blade Length: 19 inches N.W.: 0.41KG/PC G.W.: 21KG/CTN Blade Raw Material: 50MN Steel Handle Material: Wooden	660×220×190 Packing: 48PCS/ CTN (Each piece with a separate pp bag)	4800	The Handle can be replaced with plastic, specification remain unchanged
	IF-M212W	Thickness: 1.6mm Blade Length: 16 inches N.W.: 0.4KG/PC G.W.: 20KG/CTN Blade Raw Material: 50MN Steel Handle Material: Wooden	580×250×180 Packing: 48PCS/ CTN (Each piece with a separate pp bag)	4800	The Handle can be replaced with plastic, specification remain unchanged
	IF-M212W	Thickness: 1.6mm Blade Length: 18 inches N.W.: 0.44KG/PC G.W.: 23KG/CTN Blade Raw Material: 50MN Steel Handle Material: Wooden	630×250×180 Packing: 48PCS/ CTN (Each piece with a separate pp bag)	4800	The Handle can be replaced with plastic, specification remain unchanged
	IF-M214W	Thickness: 1.8mm Blade Length: 27 inches N.W.: 0.44KG/PC G.W.: 23KG/CTN Blade Raw Material: 50MN Steel Handle Material: Wooden Surface Treatment: Black Painting	950×220×160 Packing: 48PCS/ CTN (Each piece with a separate pp bag)	4800	The Handle can be replaced with plastic, specification remain unchanged

HOE

PIC	NAME / MODEL	SPECIFICATION	PACKING	G.W (CTN/BAG)	N.W (CTN/BAG)	CBM (CTN/BAG)
	IF-H304	WEIGHT: 2.5LBS Size:234*180MM Hoe material: railway steel Eyelet diameter: 42-46mm Thickness of the steel forming the eyelet: between 8.5±0.5mm at the widest point and 5±0.5mm at the thinnest point Thickness of hoe surface: between 4.5±0.5mm at the widest point and 1mm" at the thinnest point	24PCS/CTN 36X34X16CM (0.02CBM)	27.5KG	27KG	0.02
	HOE HANDLE	90cm B grade	24PCS/BAG 18X27X100cm (0.05CBM)	15.2KG	15KG	0.05

Spare Parts

PIC	NAME	NOTE
	adjustable single-head nozzle	
	double-head nozzle	
	green single-head nozzle	
	red fan nozzle	
	double-head nozzle	
	single-head stainless steel nozzle	

Spare Parts

PIC	NAME	NOTE
	double-head nozzle	
	adjustable single-head direct nozzle	
	four-holes nozzle	
	five-holes nozzle	
	six-holes nozzle	
	five-holes nozzle	

Spare Parts

PIC	NAME	NOTE
	eight-holes nozzle	
	Adjustable direct injection	
	Small five-hole nozzle	
	Small four-hole nozzle	
	Small six-hole nozzle	
	double-head nozzle	
	Three-hole nozzle	
	Single hole nozzle	

Spare Parts

PIC	NAME	NOTE
	Transparent single hole nozzle	
	Copper head three-hole nozzle	
	Copper head double-head nozzle	
	Copper head single hole nozzle	
	Single hole adjustable nozzle with metal sheet	
	Yellow three-hole metal nozzle	
	Yellow double-head metal nozzle	
	Yellow single hole nozzle	


Spare Parts

PIC	NAME	NOTE
	Copper head single hole nozzle	
	Single hole nozzle	
	blue fan nozzle	
	single-head nozzle	
	four-holes nozzle	
	58cm fiberglass lance	
	70cm fiberglass lance	
	160g MTB Stainless steel lance	

Spare Parts

PIC	NAME	NOTE
	93g adjustable stainless steel lance	
	Adjustable aluminum lance	
	Adjustable aluminum lance	
	304 Stainless Steel Lance	
	switch/handle/lance handle	
	MTB handle	
	135cm black hose	
	120cm black hose	
	135cm transparent hose	
	125cm transparent hose	

Spare Parts

PIC	NAME	NOTE
	MTB pressure chamber pressure chamber:PP cylinder: POM	
	700g long rocker	
	800g long rocker	
	thick strap	
	adjustable thick strap	
	backrest with adjustable thick strap	

Spare Parts

PIC	NAME	NOTE
	38g, 10cm, 3 layers yarn filter	
	filter	
	regulator	
	100ml doser/cup	

Spare Parts

PIC	NAME	NOTE
	12V 8AH PANASONIC lead-acid battery	
	18V 5.2AH Lithium battery	
	storage bag	
	Lead-acid battery charger	
	EURO standard charger	
	USA standard charger	
	UK standard charger	


Spare Parts

PIC	NAME	NOTE
	Height: 385mm Weight: 1.6kg/pair Size: 37-47# Color: Green upper + Black outsole Material: PVC Thickness: about 1.7-2mm 15pairs/CTN Packing Size: 37-43#: 50*29*57cm 44-47#: 50*31*57cm	
	Height: 385 mm Weight: 2.25 kg/pair Size: 38-47# Color: Green upper + Black outsole Material: PVC Thickness: about 1.8-2.7 mm 10 pairs/CTN Steel toe is addable Packing Size: 45*40*45cm	
	Height: 385 mm Weight: 2.25 kg/pair Size: 38-47# Color: Green upper + Black outsole Material: PVC Thickness: about 1.8-2.7 mm 10 pairs/CTN Steel toe is addable Packing Size: 45*40*45cm	

Protection Items

PIC	NAME	NOTE
	40g Gloves	
	9g Cup-shaped Mask	
	65g Goggles	
	30g Face shield Material: pet Sponge material: Eva Size: 32*22cm Sponge thickness: 2.5cm Sponge length: 23cm Sponge width: 2.5cm both sides are antifog and with film	
	3.8g Disposable mask	
	Material: PP+PE+iron Packing quantity: 80 Size: 51*35cm Carton size (Two kinds): 58.5*58.5*47cm 70*70*45cm Color: Brown+coral blue 20GP:14000 40HQ:33800	

Protection Items

PIC	NAME	NOTE
	 Protection Cap: Extended polyester hat protects head and neck Waterproof and double-color khaki polyester fabrics, allowing the skin to breathe  Protection shirt: Waterproof and loose Khaki shirt, double-color fabrics, allowing the skin to breathe Back: Special green waterproof polyester fabric with cotton lining, surface is waterproof coating	
	 Protection trousers: Trousers: loose and elasticated waist with drawstrings, fit different figure Upper end: Waterproof Khaki shirt, double-color fabrics, allowing the skin to breathe Lower end: Special green waterproof polyester fabric with cotton lining, surface is waterproof coating	

Protection Items

PIC	NAME	NOTE
	Protection apron: waterproof, wear-resisting, stain-resistant and easy to clean	PERSONAL PROTECTIVE EQUIPMENT (PPE) EQUIPEMENT DE PROTECTION INDIVIDUEL (EPI)
	10.2g Protection mask with valve 5 layer fabric: Green non-woven fabrics Black melt-blown fabrics White hot air cotton White melt-blown fabrics White non-woven fabrics	
	27g Protection spectacles: Lens: PC, strengthen and scratch-resistant Frame: PP, scalable	
	60g Nitrile latex gloves, skid-resistant	